



QUARRIED GRAVEL TENDER

Tender Number: 2026-003

Sealed Tenders will be received by: Township of Joly
871 Forest Lake Road
PO Box 519
Sundridge, ON P0A 1Z0

Tender Closing Date and Time: Friday May 29th 2026 at 4:00 pm

Tender Opening Date and Time: Monday, June 1st 2026 at 9:31 am

Tender Awarded: Monday June 1st 2026 at 10 am

Tender for:

1. Supply and apply Quarried Granular "M". 2000 tonnes on Joly/Strong Boundary Road from Peacock Road North to train tracks, 1500 tonnes on Peacock Road from Joly/Strong Boundary Road East to Sand Hill Road, and 2500 tonnes on Forest Lake Road from Paisely Road intersection West to surface treatment.
2. Supply and deliver 1000 tonnes Quarried Granular "M" Gravel to the Township of Joly yard at 871 Forest Lake Road. Gravel to be stockpiled in yard with Township supplied loader and operator.

Lowest or any tender not necessarily accepted and the Township reserves the right to award any portion of this Tender

Bidder's Name: _____

QUARRIED GRAVEL TENDER

The Township of Joly is tendering for Quarried Gravel material to be:

1. . Supply and apply Quarried Granular “M”. 2000 tonnes on Joly/Strong Boundary Road from Peacock Road North to train tracks, 1500 tonnes on Peacock Road from Joly/Strong Boundary Road East to Sand Hill Road, and 2500 tonnes on Forest Lake Road from Paisely Road intersection West to surface treatment
2. Supply and deliver 1000 tonnes Quarried Granular “M” Gravel to the Township of Joly yard at 871 Forest Lake Road. Gravel to be stockpiled in yard with Township loader and operator.
3. Work on the supply of Joly/Strong Boundary Road, Forest Lake Road and Peacock Road to be completed by or before: **August 22st, 2026**
Work on the rest of the tender to be completed by or before **July 31th, 2026**

TENDER PROCEDURES

1. All inquiries concerning the tender, prior to the tender closing, shall be directed to Clint Main, Working Road Foreman 705-495-9486.
2. Notification of Acceptance of Tender will be by telephone and written form of notice, to the address of the Contractor used on the bid forms. The Date of Acceptance shall be deemed to be the date of receipt of the Acceptance Notice by the Contractor.
3. A tender may be voided by superseding it with a later tender or letter of withdrawal, prior to the closing date and time.

TENDER REQUIREMENTS

1. A bid bond, certified cheque or bank draft, made payable to the Township of Joly in the amount of 10% of the total tender must be submitted with the tender, for deposit purposes. The tender deposit cheques of the unsuccessful bidders, except the successful bidder will be returned within ten (10) calendar days of the tender opening. The tender deposit of the alternate bidder will be returned when the successful bidder has returned the executed Agreement and other applicable documents to the Township. The cheque of the successful bidder may be held for forty-five (45) days after the municipality’s acceptance of the completed work.
2. The successful bidder shall deliver a certified copy of the Firm’s Public Liability and Property Damage Insurance Policy for the work, within ten (10) calendar days of receiving the Acceptance Notice, or prior to commencement of work. Coverage shall be at least \$5,000,000 per incident in the name of the municipality. Failure to provide such proof shall result in cancellation of the Contract and forfeiture of the bid deposit.
3. The successful bidder shall also deliver proof of Workplace Safety and Insurance Board coverage, within ten (10) calendar days of receiving the Acceptance Notice, or prior to commencement of work.

4. In order to avoid any misunderstandings as to the nature of the work to be performed herein, the Contractor, by executing this contract, unequivocally acknowledges that he/she is the constructor within the meaning of the Occupational Health and Safety Act and the Contractor undertakes to carry out the duties and responsibilities of a constructor with respect to the work.

It is specifically drawn to the attention of the bidder that the Occupational Health and Safety Act provides, in addition to other matters that:

A constructor shall ensure, on a project undertaken by the constructor that,

- i. the measures and procedures prescribed in this Act and the regulations are carried out on the project,
- ii. every employer and every worker performing work on the project complies with this Act and the regulations, and;
- iii. the health and safety of the workers on the project is protected.

When an unsafe act is being committed during the completion of this tender, the Working Road Foreman, or authorized designate, will notify the on-site foreman. If the act is not remedied, the Ministry of Labour will be informed.

I have read and agree with the contents

Signature of Bidder

BASIS OF REJECTION OF TENDER

Tenders not conforming to the following requirements will be disqualified:

1. Tender must be legible, in ink, by typewriter, or by printer.
2. Tender must be in possession of the municipality by the closing date and time.
3. Tender must be on the form provided.
4. Tender must be signed and sealed by an authorized official of the bidding organization. A joint tender must be signed and sealed by each company.
5. All items must be bid.
6. Tender must not be restricted or modified in any way.

Attached to this tender is a Bid Bond, Certified Cheque or Bank Draft, in the amount of 10% of the total tender, made payable to The Township of Joly. The proceeds of this cheque shall, upon acceptance of the tender, constitute a deposit which shall be forfeited to the municipality if the Contractor fails to perform the work in accordance with the conditions and specification referred to or contained in this tender.

It is agreed that the tender quantities are estimates only and may be increased or decreased by the municipality without alteration of the tender price. However, such increases or decreases shall not exceed 20%.

It is also agreed that, upon acceptance in writing by the municipality, this tender form becomes the "agreement for the performance of the work" between the Contractor and the municipality.

This offer shall be irrevocable for a period of thirty (30) calendar days following the date of the tender opening.

I/We (the Contractor) promise to complete the Joly/Strong Boundary Road, Peacock Road and Forest Lake Road work by or before August 21st, 2026 and the remainder of the tender by or before July 31th, 2026.

I have read and agree with the contents

Signature of the Bidder

Force Majeure Clause

The Contractor shall not be held liable or penalized under the terms of this Contract for failure to perform the Contract which is occasioned by war, an act of terrorism, strike, pandemic, epidemic, public health emergency, act of God, natural disaster, Order by a lawful governmental authority or any other casualty beyond the reasonable control of the Contractor (force majeure). If the force majeure event causes the delay and performance of the Contract or a non-performance of the Contract, then the Contractor shall give notice in writing of its intent to rely upon this provision. The Contractor, upon giving written notice, shall secure the worksite utilizing best construction practices, in consultation with the Owner. Thereafter, the Contractor shall submit to the Owner, in writing, costs incurred or anticipated to be incurred by the Contractor on a weekly or bi-weekly basis as a consequence of the delay occasioned by the force majeure event and the owner shall pay the costs of the Contractor for the period that the Contractor cannot perform the Contract as a consequence of the force majeure event. The Contractor shall, at the request of the Owner, provided documentary proof of the expenses incurred. The Owner shall further extend the time for the performance of the Contract for a period that is equivalent to the time period of the force majeure event or longer as may be agreed upon between the Contractor and the Owner. The Owner shall pay the costs occasioned by the Contractor during this time of the non-performance on a weekly or bi-weekly basis as may be agreed upon between the Contractor and Owner. If a force majeure event results in a delay or non-performance of the Contract for a period of six (6) months or longer, then either party shall have the right to give written notice to terminate this Contract with immediate effect without liability toward the other party provided that the Owner shall pay the Contractor all amounts due under the Contract, to the date of such termination.

Bidder Initial _____

MEASUREMENT FOR PAYMENT

1. GRANULAR MATERIALS

Tonne Measurement

The method of weighing shall be in accordance with OPSS Form 102. In addition, where a scale is found to be in excess of the Limits of Error specified by the Government of Canada Weights and Measures Act (0.1% on an indicated load for a permanent scale and 0.2% on indicated load for a portable scale), but not more than three times the Limits of Error, the scale may continue to be used for no more than 48 hours. Where the scale is in error by more than three times the Limit of Error, weighing of material on the scale must cease immediately. Alternative weigh scales may be authorized by the Road Foreman with approval prior to submission of tender.

Each truck shall bear an identification symbol, followed by the capacity. A load ticket shall be issued for each truck load, with the number of metric tonnes for payment shown. Daily summary sheets of load tickets will be required before payment will be processed.

BASIS OF PAYMENT

Payment at the Contract price shall be compensation in full for performing the work specified in the tender item and for the supply of all labour, equipment and materials, except as otherwise provided in the tender, necessary to complete the work to the satisfaction of the municipality.

PAYMENT, HOLDBACK AND COMPLETION

Payments will be made in full, after the completion of the contract to the satisfaction of the municipality.

PERFORMANCE EVALUATION

Failure to execute the contract in a competent manner shall result in the bidder's disqualification from bidding on the municipality's contracts for a period of two (2) years.

I have read and agree with the contents

Signature of the Bidder

ENGINEER, AUTHORITY, MINISTRY AND MUNICIPALITY

The terms Corporation, Inspector, Engineer, Authority, and Ministry shall be deemed to be the municipality.

COMPLETION DATE

The Contractor shall complete work by or before: August 21st ,2026 on Joly/Strong Boundary Road, Peacock Road, Forest Lake Road and the remainder of the tender by or before July 31st, 2026.

If the time limit is not sufficient to permit completion by the Contractor working on a normal number of hours, the Contractor shall make changes to permit work to be completed by the above dates. Additional costs incurred shall be deemed included in the price bid for the work. For the purpose of this tender "Normal Hours" are defined as 7:00 a.m. to 5:00 p.m., Monday to Friday.

If the work is not completed by the above date, or by an amended date allowed by an approved extension of time, then the Contractor agrees to pay the municipality a sum of \$500.00 per calendar day, for each day's delay in finishing the work, as liquidated damages. Delays due to weather will be taken into consideration by the municipality.

I have read and agree with the contents

Signature of the Bidder

GENERAL CONDITIONS

1.0 Ontario Provincial Standard Specifications and Form M-100

Form M-100 "General Conditions of Contract" and the Ontario Provincial Standards Specifications apply on this contract, unless otherwise stated in the attached tender documents. The particular revision in effect at the time the contract is advertised shall apply. Where further detail or clarification is required, reference shall be made to the appropriate Ontario Provincial Standard Specifications.

2.0 Payment, Holdback and Completion

Paragraphs 1-4, inclusive of Form M-100, Subsection 108-3 are cancelled and replaced by the following paragraphs.

The municipality shall prepare the estimate. In addition to the normal 10% holdback, additional holdback may be retained to cover any written liens submitted during the Contract.

As soon as possible following the certification of completion of the Contract, the municipality shall prepare the final estimate of payment and submit for certification by the Contractor and any sub-contractors. The Contractor shall return the certified final estimate and Worker's Compensation Board clearances within thirty (30) calendar days.

Holdback not including an amount retained for unresolved claims will be released to the Contractor forty-five (45) calendar days after certification by the municipality that the Contract is "complete". (See the Construction Lien Act).

Bidder Initial _____

CONSTRUCTION

1.0 Materials

Granular particles must satisfy the requirements of Table 1 – Gradation Requirements and OPSS Forms 314, 1001, and 1010.

2.0 Application of Materials

Where the tender includes application of granular materials, materials must be applied by belly dump, provided care is taken to avoid segregation. Where the total thickness of crushed material called for exceeds 100mm in thickness, it shall be placed in multiple layers. Each layer shall not exceed 100mm in thickness. Compaction is not a requirement of this contract, unless otherwise specified.

MEASUREMENT FOR PAYMENT

**TABLE 1
GRADATIONS REQUIREMENTS*****

MTO Sieve Designation	Percentage Passing by Mass				
	Granular A	Granular B		Granular M	Select Subgrade Material
		Type I****	Type II****		
150 mm	N/A	100	100	N/A	100
37.5 mm	N/A	N/A	N/A	N/A	N/A
26.5 mm	100	50-100	50-100	N/A	50-100
19 mm	85 -100 (87-100)*	N/A	N/A	100	N/A
13.2 mm	65-90 (75-95)*	N/A	N/A	75-95	N/A
9.5 mm	50-73 (60-83)*	N/A	N/A	55-80	N/A
4.75 mm	35-55 (40-60)*	20-100	20-55	35-55	20-100
1.18 mm	15-40	10-100	10-40	15-40	10-100
300 mm	5-22	2-65	5-22	5-22	5-95
150 mm	N/A	N/A	N/A	N/A	2-65
75 mm	2-8 (2-10)**	0-8 (0-10)**	0-10	2-8 (2-10)**	0-25

(*) Where the aggregate is obtained from an iron blast furnace slag source.

(**) Where the aggregate is obtained from a quarry or slag source.

(***) MTO Lab Test No. LS 602.

(****) Where Granular B is used for granular backfill for pipe subdrains, 100% of the material shall pass The 37.5 mm sieve.

Bidder Initial _____

SPECIAL PROVISIONS

SPECIAL #1 TESTING AND ACCEPTANCE OF GRANULAR 'M'

FIELD SAMPLING

At the request of the Joly Road Foreman (or authorized designate), the Contractor shall be responsible for field sampling in the presence of the Road Foreman. The lot size has been predetermined to be 500m³. Four (4) samples for testing shall be required. Time samples will be taken at the discretion of the Road Foreman.

TESTING

At the request of the Corporation of the Township of Joly, the Contractor will be responsible for all costs related to transportation and testing of samples at a designated Laboratory (Muskoka District). Testing will be delivered to the Laboratory by the Township of Joly Road Foreman. Sieve analysis, (gradation requirements) and percent crushed tests will be performed.

ACCEPTANCE REQUIREMENTS

When either the gradation or the percent crushed particles is not within the specification requirements, an adjusted payment will be allowed at the request of the contractor in lieu of removal, except where a non-conformance is so great that the material is totally unacceptable.

PAYMENT ADJUSTMENT GUIDELINES

Payment adjustment for non-conforming material will be applied as a percentage of the unit price. Material that requires an adjustment in excess of 25% is considered non-conforming and is not acceptable under this contract.

NOTE

The contractor may at his discretion have tests performed on the product during production to ensure that an acceptable product is being produced.

Bidder Initial _____

SPECIAL PROVISION #1 – Cont'd

Percent Crushed Acceptance

A complete lot of Quarried Granular "M" shall be deemed to meet the specification requirements for percent crushed particles if the mean of the test results is equal to or greater than 50%.

Adjusted Payment

Complete lots which do not meet the specification requirements, and which are not subject to removal, will be subject to a reduced payment.

The reduction will be a product of:

Lot quantity x price x total payment adjustment.

The total payment adjustment shall be equal to the sum of adjustment point determined as follows:

- Adjustment points shall be applied for each 0.1 percent that the mean gradation falls outside the specified limits
- 0.1 adjustment points shall be applied for each 0.1 percent that the range exceeds the maximum acceptable range for each sieve (Table I).
- 0.5 adjustment points shall be applied for Granular A or M for each 0.1 percent that they lot mean falls below the 50% limit for percent crushed.

Table IV

MTO Sieve Designation	Adjustment Points per 0.1% Deviation from Specified Limit			
	Granular A	Granular B Type I & II	Granular M	Select Subgrade Material
150 mm		0.1		0.1
26.5 mm	0.1	0.1		0.1
19.0 mm	0.1	-	0.1	-
13.2 mm	0.1	-	0.1	-
9.5 mm	0.1	-	0.1	-
4.75 mm	Excess Passing 0.5/Insufficient Passing 0.2			0.1
1.18 mm	0.1	0.1	0.1	0.1
300 mm	0.1	0.1	0.1	0.1
150 mm	-	-	-	0.1
75 mm	1.0	1.0	1.0	0.5

Bidder Initial _____

SPECIAL PROVISION #1 – Cont'd

Gradation Acceptance

A lot of Granular M will be deemed to meet the specification requirements for gradation if the mean of the four test results of the lot is within the gradation limits specified in Table 2 OPSS 1010 and if the lot is within the range requirements of Table 1. Granular M must be produced by a crusher, screened pit run material will not be accepted.

**TABLE 1
RANGE REQUIREMENTS**

MTO Sieve Designation	Maximum Acceptable Range			
	Granular A	Granular B		Granular M
		Type I	Type II	
150 mm	N/A	0	0	N/A
26.5 mm	0	N/A	30	N/A
19.0 mm	8	N/A	N/A	0
13.2 mm	20	N/A	N/A	16
9.5 mm	20	N/A	N/A	18
4.75 mm	18	N/A	22	18
1.18 mm	18	N/A	18	18
300 μ m	12	50	12	12
150 μ m	-	-	-	-
75 μ m	5	7	5	5

Bidder Initial _____

QUARRIED GRAVEL TENDER 2026-003

The Township of Joly is tendering for **Quarried Gravel** material to:

1. Supply and apply on:

- a) Supply and apply Quarried Granular "M". 2000 tonnes on Joly/Strong Boundary Road from Peacock Road North to train tracks, 1500 tonnes on Peacock Road from Joly/Strong Boundary Road East to Sand Hill Road, and 2500 tonnes on Forest Lake Road from Paisely Road intersection West to surface treatment.

Item A Unit Price

\$ _____/tonnes X 6000 tonnes =	Item 1 Price	\$ _____
	HST	\$ _____
	Item A Total Price	\$ _____

- b) Supply and deliver 1000 tonnes Quarried Granular "M" Gravel to the Township of Joly yard at 871 Forest Lake Road. Gravel to be stockpiled in yard with Township loader.

Item B Unit Price

\$ _____/tonnes X 1000 tonnes =	Item Price	\$ _____
	HST	\$ _____
	Item B Total Price	\$ _____

TENDER PRICE GRAND TOTAL \$ _____

INCLUDES ALL COSTS WHICH MAY BE INCURRED UNTIL COMPLETION OF TENDER. Contractor to provide loaders, trucks, as required.

QUARRIED GRAVEL TENDER 2026 - 003

I/We (the Contractors) promise to complete Forest Lake Road and Boundary Road and Peacock on or before **August 21st, 2026**.

I/We (the Contractors) promise to complete all the remaining work on or before **July 31st, 2026**.

Name of the Individual or Firm _____
(hereafter referred to as the "Contractor")

Address _____

Email Address _____

Signature of Person Signing for Firm _____

Date _____

Office Person Signing for Firm _____

Witness or Firm Seal _____

Phone Number _____ Fax Number _____

Lowest or any tender not necessarily accepted and the Township reserves the right to award any portion of this Tender